Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	22	(compar\$ or check\$ or determin\$) with (size near4 packet) with time with network	USPAT	OR	OFF	2004/11/17 12:40
S28	1	(compar\$ with (size near4 data near4 packet) with time with network)	USPAT	OR	OFF	2004/11/17 12:05
S29	5	(compar\$ with (size near4 data near4 packet) with time)	USPAT	OR	OFF	2004/11/17 12:06
S30	1093	709/201.ccls.	USPAT	OR	OFF	2004/11/17 12:06
S31	1	S30 and (compar\$ with (size near4 data) with time)	USPAT	OR	OFF	2004/11/17 12:07
S32	1	S30 and (compar\$ with (size near4 data) and (detect\$ near4 time))	USPAT	OR	OFF	2004/11/17 12:08
S33	0	S30 and ((compar\$ or track\$ or trac\$) with ((size near4 data) and (detect\$ near4 time)))	USPAT	ÖŘ	OFF	2004/11/17 12:09
S34	12	S30 and ((compar\$ or track\$ or trac\$) and ((size near4 data) and (detect\$ near4 time)))	USPAT	OR	OFF	2004/11/17 12:39
S35	3 .	(compar\$) with (size near4 packet) with time with network	USPAT	OR	OFF	2004/11/17 12:41
S36	14	(compar\$) with (size near4 packet) with time	USPAT	OR	OFF	2004/11/17 12:41
S37	6	(compar\$) with (size near4 data) with (detect\$ near4 time)	USPAT	OR	OFF	2004/11/18 16:16
S38	1	"6502135".pn.	USPAT	OR	OFF	2004/11/18 16:27
S39	49	("5889273" "6222935" "6222935" "5535127" "5650854" "4285241" "4331864" "4375635" "4388610" "4408163" "4410910" "4415926" "4587617" "4626101" "4803638"	USPAT	OR	OFF	2004/11/18 16:34
		"4862412" "4891602" "4901320" "4922513" "4929824" "4929844" "4951038" "4958374" "5025418" "5189378" "5257311" "5267332" "5303019" "5323003" "5493123" "5500725" "5502814" "5515500" "5521634" "5528703" "5530645" "5530834" "5530837" "5546068"				
		"5563916" "5568573" "5638307" "5641919" "5649095" "5651089" "5675404" "5693933" "5696843" "5699165" "5710842") pn.				

			T		1	1
S40	98	("5889273" "6222935" "6222935" "5535127" "5650854" "4285241"	USPAT	OR	OFF	2004/11/18 16:27
		"4331864" "4375635" "4388610"				
		"4408163" "4410910" "4415926"				
		"4587617" "4626101" "4803638"				
		"4862412" "4891602" "4901320"				
		"4922513" "4929824" "4929844"				
		"4951038" "4958374" "5025418"				
-		"5189378" "5257311" "5267332"		}		
		"5303019" "5323003" "5493123"				
		"5500725" "5502814" "5515500"				
		"5521634" "5528703" "5530645"				,
		"5530834" "5530837" "5546068"				
		"5563916" "5568573" "5638307" "5641919" "5649095" "5651089"				
		"5675404" "5693933" "5696843"	Į			
	1	"5699165" "5710842").pn.	:			
		("5761338" "5765209" "5787199"				
		"5798841" "5802078" "5864394"				
		"5867610" "5894487" "5944849"				
		"5963563" "5995219" "5999275"				
		"6044326" "6097656" "6101505"				
		"6131059" "6164550" "6175524"				
		"6212249" "6212249" "6275290"				•
		"6287765" "6298086" "6341241"				
		"6351550" "6351551" "6422065"	:		t-m	
	,	"6473665" "6243348" "6453269"				
		"5268908" "5930005" "6040896"				
		"4535428" "4558433" "4577292"				
		"4616347" "4837709" "4918644"				
		"4962500" "5255131" "5428459"				
		"5477272" "5832235" "5930814" "5959742" "6169544" "6333182"				,
		"6403337" "6475753").pn.				
	Bargarya Latanda gird	POLYKER KOMENTANTANTAN GERKOLE. TO TO TANDER MOTOR WILLIAM W		Teraera Filit		
S41	0	S40 and ((compar\$ near7 (packet	USPAT	OR,	OFF	2004/11/18 16:34
		near4 header)) and ("sequence				
		number" or "time stamp") and				
		detection and (link or access or record or log))				
		Հ Հ. Համանագրին Կար Է գիր ը գիրո ւմը «Հահարկակաների» չին հեղ հեռ նրանքում կառնվածներն «Ա				
S42	0	S40 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:30
		near4 header)) and ("sequence				
t was early to	entre to entre on the	number" or "time stamp"))	NAME AND A STATE OF STREET		more and a second	5 10 0 100 100 100 100 100 100 100 100 1
S43	1	S40 and (compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:30
		near4 header))				
S44	16592	"709"/.ccls.	USPAT	OR	OFF	2004/11/18 16:34
S45	20	S44 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:46
		near4 header)) and ("sequence				
		number" or "time stamp") and		Prefid		
		detection and (link or access or	luikin i	F diffi		
		record or log))		\$1		
S46	3	S44 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:49
		near4 header)) and ("time stamp")				
		and detection and (access and				
		(record or log)))				

S47	1	S44 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (record or (log near3 data))))	USPAT	OR	OFF	2004/11/18 16:51
S48	13075	"713"/.ccls.	USPAT	OR	OFF	2004/11/18 16:50
S49	7	S48 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (record or (log near3 data))))	USPAT	OR	OFF	2004/11/18 16:52
S50	2	S44 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (hacker\$ or attack\$ or terrorism)))	USPAT	OR	OFF	2004/11/18 16:53
S51	2	((compar\$ near7 (packet near4 header)) and ("time stamp")) and (detection near7 (hacker\$ or attack\$ or terrorism))	USPAT	OR	OFF	2004/11/18 16:55
S52	19	((compar\$ near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and (secur\$ or detection or protect\$)	USPAT	OR	OFF	2004/11/18 16:57
S53	0	((compar\$ near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/18 16:58
S54	13	((compar\$ near7 (packet near4 header)) and ("time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/19 13:58
S55	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT	OR	OFF	2004/11/19 14:50
S56	20	S55 and (access and chain and trac\$3)	USPAT	OR	OFF	2004/11/19 14:03
S57	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:02
S58	.20	S57 and (access and chain and trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:03

S59	136	(access with chain with trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:04
S60	8	(access near3 chain near3 trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:07
S61	0	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp"))	USPAT	OR	OFF	2004/11/19 14:07
S62	70	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp")) S55 and detection and link	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB USPAT;	OR OR	OFF	2004/11/19 14:08
303	70	333 and detection and link	USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	OFF	2004/11/19 14.09
S64	99	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3) and (trac\$3 or track\$3 or mornitor\$3)	USPAT	OR	OFF	2004/11/19 15:01
S65	71	S64 and detection	USPAT	OR	OFF	2004/11/19 15:02
S66	42	S65 and "sequence number"	USPAT	OR	OFF	2004/11/19 15:02
S67	99	(trac\$3 or track\$3 or mornitor\$3)and (compar\$4 or determin\$5) near4 (data near2 size) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:02
S68	86	S67 and detection	USPAT	OR	OFF	2004/11/19 15:02
S69	3	S68 and "sequence number"	USPAT	OR	OFF	2004/11/19 15:05
S70	46	compar\$3 near2 (data and packet and header)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR-	OFF	2004/11/19 15:09
S71	785610	(trac\$3 or track\$3) and (link or access or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:07

S72	24	S71 and S70	USPAT;	OR	OFF	2004/11/19 15:07
			USOCR; EPO; JPO; DERWENT;			
			IBM_TDB			
S73	21	S72 and detection	USPAT;	OR	OFF	2004/11/19 15:07
			USOCR; EPO; JPO;			
			DERWENT; IBM_TDB			
S74	1	S73 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:08
		373 and time stamp	USOCR; EPO; JPO; DERWENT; IBM_TDB	·	011	200 1/11/19 13:00
S75	134	compar\$3 near2 (packet near2	USPAT;	OR	OFF	2004/11/19 15:18
		-header)	USOCR; EPO; JPO;			は、「ない」 金銭をよった機能 ・ かいこうか しょうか 機能できない ・ というかい しゃれる
			DERWENT;			
C76	10		IBM_TDB	OB	0 FF	
S76	18	S75 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:09
S77	13	S76 and detection	USPAT; USOCR;	OR	OFF	2004/11/19 15:15
			EPO; JPO;			
tappi s gri			DERWENT; IBM_TDB			
S78	4	("6515967" "6570867") .pn.	USPAT;	OR	OFF	2004/11/19 16:10
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S79	218	access with link with record	USPAT;	OR	OFF	2004/11/19 15:18
			USOCR; EPO; JPO;			
			DERWENT; IBM_TDB			
S80	0	S79 and (compar\$3 near2 (packet	USPAT;	OR	OFF	2004/11/19 15:18
		near2 header))	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S81	12	S79 and (packet near2 header)	USPAT;	OR	OFF	2004/11/19 15:19
			USOCR; EPO; JPO;			
			DERWENT; IBM_TDB		0	

S82	6	S81 and "time stamp"	USPAT; USOCR;	OR	OFF	2004/11/19 15:21
-			EPO; JPO; DERWENT; IBM_TDB	,		
S83		S82 and detection	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:19
S84	0	(detect\$3 or secur\$3) and (hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:23
\$85	0.	(detect\$3 or secur\$3) and (access or hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:24
S86	0	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:24
S87	23466	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:24
S88	1792	S87 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:25
S89	919	S88 and (hack\$3 or attack\$3 or access) and detection	USPAT; USOCR;	OR	OFF	2004/11/19 15:25
			EPO; JPO; DERWENT; IBM_TDB			
S90	215	S89 and "sequence number"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:26
S91		S90 and ((link or access) near3 (record or data or table))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19-15:27

S92	118	S91 and (compar\$3 and calculat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:29
S93	2	09/429643	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
S94	2	60/106261	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
S95	3	09/955431 09/950128 09/953528 09/953735 09/955730 09/961626	US-PGPUB	OR	OFF	2004/11/19 16:11
S96	4	09/955431 09/950128 09/953528 09/953735 09/955730 09/961626	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 16:12
S97	0	10/827869 10/672342 09/772373	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 16:23
S98	3	10/827869 10/672342 09/772373	US-PGPUB	OR	OFF	2004/11/19 16:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4481	709/201,224,225,229.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2004/11/22 11:17
L3	1777	713/201,153,157,178,160.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:18
L4	7	I2 and (compar\$3 near3 (packet near3 header))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:26
L5		l4 and (size near2 data)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:20
L6	351	I3 and ((detect\$3 or secur\$3) with (attack\$3 or hack\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:21
L7	48	I6 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36
L8	5	I7 and (size near3 data)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:22
L9	0	I4 and I8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:22
L10	0	I4 and 17	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	⊙R	OFF	2004/11/22 11:22
L11	2	"6618806".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36

L12	_ 0	l11 and (packet or header or (data near2 size))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:37
L13	0	l11 and (packet or header)	USPAT;	OR	OFF	2004/11/22 11:37
			USOCR;		T. 1	
			EPO; JPO;	an diferit ki	البا	
			DERWENT;			
			IBM_TDB			